

Index

OS-10-0990

Index

Control button and jack entries as well as abbreviations such as SMPTE, MIDI and FM are in UPPER CASE.

A

Abbreviations, Monitor commands, 1.9
Adjust mode, 9.8-11
Ampersand (&), 6.14
Angle brackets (<>), 6.14
Append mode, 6.7
Arrow keys, 6.5, 6.7, 9.9, 9.10, 9.13, 9.15
Asterisk (*), 9.4-5

B

B (B), 6.6
Backing up (*see also* copying), 5.7, 5.14-17
Braces ({}), 6.14
Brackets
 angle (<, >), 6.14
 square ([,]), 6.14, 6.16-17
BREAK, 1.5, 1.6-7
Buffer, 6.14-17

C

C (C), 6.6
Captions, sound file, 2.7, 9.6-7
Case matching search, 6.10
CAT (*see* CATALOG)
Catalog (*see also* subcatalog)
 changing, 3.8-9, 6.24
 command summary, 3.16-17
 commands, 3.10-17
 current, 2.11, 2.13, 6.24
 definition, 2.2, 2.8
 directory, 2.8, 2.12, 3.10-17
 glossary of terms, 2.13
 identifying, 3.8-9
 names, 2.8
 storing to optical disk, 4.18-19
 structure, 2.8-9
 system, 2.9, 8.4
 top-level, 2.8, 2.13
CATALOG, 3.10
 ALL, 3.12-13
 FILE, 3.15, 7.8, 9.11
 LENGTH, 3.11
 OF, 3.11-12
 SLENGTH, 3.14
 SNAMES, 3.14
 SORIGIN, 3.14
 STYPE, 3.14
Centering text, 6.6
Comma (,), 6.17

Command

 column, 6.3
 file, 9.2-5
 history file, 9.12-13
Commands
 Monitor, 1.8-11, 9.3-5, 9.12-13
 Monitor abbreviations, 1.9
 multiple, 1.9
 Screen Editor, 6.4
 single key, 9.16
Comments (*), 9.4-5
Computer languages, 1.2
CONFIGUR, 8.7-11
Configur Utility, 4.6
Configuring the system, 8.6-11
Contiguous disk space, 5.12-13
Copying
 files or subcatalogs, 5.11-12, 5.14-17
 Master Timbre/Sequence Storage Disk, 5.21
 optical disk files, 4.24-31
 sequence files, 5.20
 timbre files, 5.19
CREATE, 3.4-5
CTRL-
 /, 9.14
 A, 6.7, 9.10, 9.14
 D, 9.10, 9.14
 E, 6.9, 9.14
 G, 9.14
 H, 9.15
 I, 9.15
 J, 9.13
 K, 9.13
 L, 9.15
 P, 7.6, 9.15
 R, 1.8, 9.15
 U, 9.9-10
 W, 9.15
 X, 9.15
 Y, 9.15
Current
 catalog, changing, 3.8-9, 6.24
 device, 2.10
 file, 2.5, 5.6, 6.2
Cursor, 6.5

D

D (D), 6.12
Data files, 2.4
DELETE, 6.9, 6.18, 6.21
Deleting (*see* Erasing)
DESEQUENCE, 7.7
Device, 2.2, 2.10, 2.13
DIR, 3.17

Directory

 catalog, 2.8, 2.12-13, 3.10-17, 6.2, 6.15, 6.19-22
 placing in a file, 3.15
 printing, 7.8
Display
 Optical Disk, 4.2-3, 4.9-10, 4.12-25
 Screen Editor, 6.3
DO, 9.3
Dollar sign (\$), 6.5
DRENAME, 5.11, 5.15

E

E (E), 1.6, 6.4
Editing
 modes, 6.7
 Monitor commands, 9.14-15
ENTER, 3.8-9
Equals sign followed by c (=c), 6.10
Erasing
 blocks of text, 6.13
 files, 5.13, 6.23
 multiple files, 9.11
 subcatalogs, 5.13
Exclamation point (!), 6.17
Executable (exec) files, 2.4

F

Files

 backing up, 5.7, 5.14-17
 caption, 2.7, 9.6-7
 command, 9.2-5
 command history, 9.12-13
 copying, 5.11-12, 5.14-17
 creating, 5.6, 5.22, 6.19
 current, 2.5, 5.6
 data, 2.4
 definition, 2.2-3, 2.13
 erasing, 5.13, 6.23, 9.11
 executable (exec), 2.4
 glossary, 2.13
 hidden, 3.12-13
 inserting, 6.24
 lengths, 2.4, 3.11
 management, 2.2, 5.18-25, 6.18-24
 names, 2.4, 2.13
 .NEWDATA, 2.4, 2.6
 overwriting, 5.9
 printing, 7.7-8
 profile, 8.5
 recalling, 5.6, 6.21
 renaming, 5.10, 6.20
 replacing, 5.9, 6.20
 saving, 5.8, 6.20

Files (con't)
 sequence, 2.4, 2.6, 5.20,
 5.22-25
 sound, 2.4, 2.7
 .SQnDATA, 2.4, 2.6
 stored, 2.5
 storing, 5.8
 Synclavier (sync), 2.4
 system, 2.7
 text, 2.4
 timbre, 2.4, 2.6
 types, 2.4
 work (.work), 8.4
 Floppy disk
 drives, 2.10
 formatting, 5.3
 write protecting, 5.13
 Formatting
 floppy disks, 5.3
 hard disks, 5.4-5
 primary, 5.5
 Formcopy Utility, 5.2,
 5.14-17, 5.21
 Freezing the screen, 3.10, 5.3
 Function keys (see PF keys)

G

G (G), 6.11
 Glossary of files, catalogs and
 devices, 2.13
 Grave accent (`), 6.10

H

HARDCOPY, 7.6
 HELP, 1.10-11
 HForm, 7.8
 Hidden files, 3.12-13

I

Initialize (see Format)
 Inserting
 blank lines, 6.8
 files, 6.24
 text repeatedly, 6.16,
 9.8-9
 Installing software, 8.6

J K

Keyboard, terminal (see
 Terminal keyboard)

L

L, 8.11
 Languages, computer, 1.2
 Letters A-V, 6.5
 Line number, 6.5
 Line numbers, removing, 7.7
 LIST, 7.7
 LOG, 9.12-13

M

M (M), 6.16
 Macros, 9.16
 Marking blocks of text, 6.12
 Master Timbre/Sequence
 Storage Disk, 5.18,
 5.21
 Minus (-), 6.8
 Modified/unmodified, 6.21
 Modules
 moving from one to
 another, 1.5-7
 system software, 1.2-7
 Monitor module
 command abbreviations, 1.9
 command editing, 9.14-15
 command history file, 9.12-13
 commands, 1.8-11, 9.12-15
 description, 1.2-7, 2.8
 HELP facility, 1.10-11
 multiple commands, 1.9
 Multiple commands, 1.9

N

N (N), 6.19
 Naming
 files, 2.4
 sequences, 2.6, 5.23
 subcatalogs, 2.8, 3.4
 NEW, 1.5, 5.6, 5.22, 6.2
 NEWDATA (NEWDATA)
 files, 2.4, 2.6, 5.18-19
 Newf [four-digit number], 2.7
 No line insert, 6.7
 NOSROLL, 3.10
 Number symbol (#), 6.14

O

O (O), 6.21
 OLD, 5.6, 5.11, 5.19-20, 7.7

Optical disk

capacity, 4.2
 cartridge insertion and
 removal, 4.8
 categories, 4.4-5, 4.16-17,
 4.20, 4.33
 configuring for, 4.6
 description, 4.2-3, 4.6-7
 Display, 4.2-3, 4.9-10,
 4.12-33
 erasing, 4.8
 file management, 4.2,
 4.32
 formatting, 4.8-9
 index file, 4.4, 4.10
 initialization, 4.8
 listing utility, 4.34-35, 7.4-5
 loading, 4.10
 power-up, 4.6-7
 searching, 4.15
 storage system, 4.2-35
 storing overview, 4.13
 storing sound files, 4.12-23
 volume, 4.4
 volume caption, 4.9
 volume name, 4.9
 write-protecting, 4.11
 Optical Disk Display
 activating, 4.2-3, 4.12
 caption entry, 4.16
 category assignment, 4.16,
 4.33
 copying files, 4.24-31
 description, 4.12
 device selection, 4.19
 display format, 4.14
 editing files, 4.32
 existing files, 4.21-23
 formatting, 4.9
 index updating, 4.10
 loading, 4.10
 new files, 4.21-23
 sound file selection, 4.14
 storing captions, 4.20
 storing categories, 4.20
 storing overview, 4.13
 storing sound files, 4.17-23
 updating captions and
 categories, 4.17
 verify dialog box, 4.23
 windows, 4.12
 Overstrike mode, 6.7
 Overwriting a file, 5.9

P

P (P), 1.6-7, 6.4
 Page
 positioning, 6.6
 turning (scrolling), 6.6

Index (con't)

- PAUSE, 9.4-5
- Period (.), 6.12
- PLAY, 1.5-6
- Plus (+), 6.8
- Plus (+), 6.24
- Primary format, 5.5
- PRINT, 7.7
- Printing
 - directories, 7.8
 - display screens, 7.6
 - files, 7.7-8
 - Monitor, 7.7
 - optical disk list, 7.4-5
 - RTP system, 7.6
 - Screen Editor, 7.8
 - Sound File Directory, 7.2-3
- Profile file, 8.5
- Programs (see Modules)
- Q**
- Query line, 6.3
- Question mark (?), 6.2, 6.19-21, 6.23
- R**
- R (R), 6.20
- Rapid editing, 9.10-11
- Rapid text repetition, 9.8-9
- Ready prompt,
 - changing, 8.2
 - description, 1.4-5,
- Real-Time Performance system,
 - changing version, 8.3
 - description, 1.3, 1.5, 1.6-7
- RECALL, 5.24-25
- Recalling files, 5.6, 5.24-25, 6.21
- Reformatting (see Formatting)
- RENAME, 5.10, 5.25
- Renaming files, 5.10, 5.25
- REPLACE, 5.9, 5.11
- RESIZE, 3.6-7
- Resize Utility, 4.10
- Restoring deleted text, 6.9, 6.13
- S**
- S (S), 6.15, 6.22
- Safety buffer, 6.9, 6.13
- SAVE, 5.8, 5.11, 5.19-20, 5.22
- Scientific XPL, 1.2
- Screen Editor
 - adding lines, 6.7-8
 - adjust mode, 9.8-11
 - copying text, 6.17
 - Display, 6.3
 - editing modes, 6.7
 - entering, 6.2
 - entering commands, 6.4
 - entering text, 6.7
 - erasing a file, 6.23
 - erasing and restoring text, 6.9
 - file management, 6.18-24
 - inserting a file, 6.24
 - leaving, 6.4
 - macros, 9.16
 - module, 1.2-7, 6.2-11
 - moving text, 6.16
 - moving the cursor, 6.5
 - page positioning, 6.6
 - printing, 7.8
 - rapid editing, 9.10
 - rapid text repetition, 9.8-9
 - scrolling, 6.6
 - searching, 6.10-11
 - status, 6.22
- Script, 1.2
- Scrolling text, 1.9, 3.10, 6.6
- Search
 - and replace, 6.11
 - case matching, 6.10
 - optical disk, 4.15
 - string, 6.10
- Sectors, 3.3-7
- SED, 1.6, 6.2
- Semicolon (;), 6.13
- Sequence
 - copying, 5.24
 - filenames, 2.6, 5.23
 - files, 2.4, 2.6, 5.20, 5.22-25
 - renaming, 5.25
 - sizes, 5.23
- SET
 - LOG ON/OFF, 9.12-13
 - PATH, 8.4
 - PROMPT, 8.2
 - RTP, 8.3
 - TYPE, 5.22
- SHOW
 - CATALOG, 3.8
 - HISTORY, 9.13
 - PATH, 8.4
 - PROMPT, 8.2
 - RTP, 8.3
 - VERSION, 8.6
- SHUFFLE, 5.12-13
- Single key commands, 9.16
- Slash
 - backward (\), 6.10
 - forward (/), 6.10
- Software
 - basic modules, 1.2-7
 - configuring, 8.6-11
 - installation, 8.6
 - moving between modules, 1.5-7
- Sorting directories, 3.14
- Sound file
 - captions, 2.7, 9.6-7, 4.4-5, 4.16, 4.17, 4.20
 - categories, 4.4-5, 4.16-17, 4.20, 4.33
 - copying, 4.24-31
 - definition, 2.4, 2.7
 - management, 4.2, 4.22-23
 - selecting, 4.14
 - storing on optical disk, 4.12-23
- Source file, updating, 4.17
- Square brackets ([,]), 6.14, 6.16, 6.17
- SQnDATA (SQnDATA) files, 2.4, 2.6, 5.18, 5.20
- Status (Screen Editor)
 - display, 6.22
 - line, 6.3
- Storage device (see Device)
- Storage system, 2.2-3, 2.8-13
- STORE, 5.24
- Stored file, 2.5
- Storing (see also Saving)
 - catalogs to optical disk, 4.18-19
 - files, 5.8
- Subcatalog
 - changing, 3.8-9, 6.24
 - copying, 5.11-12
 - creating, 3.2-5
 - definition, 2.2-3, 2.8-9, 2.13
 - directories, 2.12
 - directory size, 3.2, 3.4-5
 - entering, 3.8-9
 - glossary, 2.13
 - names, 2.8, 2.13, 3.4
 - resizing, 3.6-7
 - size, 3.3-5, 3.6-7
 - storing to optical disk, 4.18-19
 - system, 2.9, 8.4
- Synclavier (sync) files, 2.4
- System
 - files, 2.7
 - software, 1.2-7
 - subcatalog, 2.9, 8.4
 - values, 8.4-5

T

T (.T), 6.6

TAB, 6.5

Text blocks

 copying, 6.17

 deleting, 6.13

 marking, 6.12

 moving, 6.16

Text files (*see also* Files), 2.4

Timbre

 files, 2.4, 2.6, 5.19

Top-level catalog, 2.8, 2.13

Treename, 2.10-11, 2.13

U

U (.U), 6.23

Unmarking blocks of text, 6.12

Unmodified (*see* Modified/
 unmodified)

UNSAVE, 5.13

Unsaving (*see* Erasing)

V

W

W (.W), 6.17

Welcome Menu, 1.4

What?, 1.8

Winchester drives, 2.2-3, 8.9-11

WRITE, 9.4-5

Write protecting

 floppy disks, 5.13

 optical disks, 4.11

X

Y

Y (.Y), 6.11

Z

Z (.Z), 6.24